

# 感应龙头系列

# **AUTOMATIC SENSOR FAUCET**











- 1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;
- 2. 优势,产品外观简洁大方,设计原意以人为本: 3. 感应距离:机器采用微电脑控制,自动设定最佳感应范围,无须人为调整;
- 4. 适应各种新旧场所。

- 1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;
- $2. Advantages; The \ product \ takes \ pride \ in \ a \ simple \ and \ elegant \ look, and \ adopts \ the \ people-oriented \ design \ concept;$
- 3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;
- 4.It suits all kinds of old and now places

- 广品符点:
  1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;
  2. 优势:产品外观简洁大方,设计原意以人为本;
- 3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整;

### Product features:

- 1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages:
- 2. Advantages: The product takes pride in a simple and elegant look, and adopts the people-
- Advantages: The product takes pride in a simple and elegant look, and adopts the people-oriented design concept;
   Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;
   It suits all kinds of old and now places

- 1. 龙头部分: 采用黄铜精铸电镀而成, 具有抗腐蚀、长寿命的优异性;
- 优势:产品外观简洁大方,设计原意以人为本:
   感应距离:机器采用微电脑控制,自动设定最佳感应范围,无须人为调整;
- 4. 适应各种新旧场所。

- 1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;
- $2. Advantages: The \ product \ takes \ pride \ in \ a \ simple \ and \ elegant \ look, and \ adopts \ the \ people-oriented \ design \ concept;$
- $3. Induction \ \ \, {}^{distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;}$
- 4. It suits all kinds of old and now places

- 产品特点: 1.产品外观简洁流畅,时尚现代:
- 2. 龙头体采用黄铜精铸电镀而成, 耐腐蚀性强;
- 3. 配有多种尺寸(高度):可根据台盆边缘与台面高度,选择搭配; 4. 机器采用微电脑控制,自动设定最佳感应范围,无须人为调整;
- 5. 适应各种新旧场所。

- 1.the product appearance is concise and smooth, modern fashion;
- Leading bodies made of brass casting and plating, corrosion resistance;
   S.Equipped with a variety of dimensions ( height): according to the basin margin and mesa
- height, with a choice of:
- A.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;
- 5.It suits all kinds of old and now places

- 1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;
- 2. 优势:产品外观简洁大方,设计原意以人为本:
- 3. 感应距离:机器采用微电脑控制,自动设定最佳感应范围,无须人为调整;
- 4. 适应各种新旧场所。

- ${\bf 1.Tap: the \, leading \, brass \, casting \, electroplating \, and \, into, \, has \, the \, corrosion \, resistance, \, long \, life \, advantages;}$
- 2. Advantages:The product takes pride in a simple and elegant look, and adopts the people-oriented design concept;

- 4. It suits all kinds of old and now places

# 感应龙头系列

# **AUTOMATIC SENSOR FAUCET**











- 1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;
- 2. 优势,产品外观简洁大方,设计原意以人为本; 3. 感应距离:机器采用微电脑控制,自动设定最佳感应范围,无须人为调整; 4. 适应各种新旧场所。

- 1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;
- $2. Advantages: The \ product \ takes \ pride \ in \ a \ simple \ and \ elegant \ look, and \ adopts \ the \ people-oriented \ design \ concept;$
- 3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;
- 4.It suits all kinds of old and now places

- 7. 由47 A.: 1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性; 2. 优势:产品外观简洁大方,设计原意以人为本;
- 3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整;
- 4. 适应各种新旧场所。

- 1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;
- 2.Advantages: The product takes pride in a simple and elegant look, and adopts the people-
- 3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;
- 4. It suits all kinds of old and now places

- 1. 龙头部分: 采用黄铜精铸电镀而成, 具有抗腐蚀、长寿命的优异性;
- 优势:产品外观简洁大方,设计原意以人为本:
   感应距离:机器采用微电脑控制,自动设定最佳感应范围,无须人为调整;
- 4. 适应各种新旧场所。

- 1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;
- $2. Advantages: The \ product \ takes \ pride \ in \ a \ simple \ and \ elegant \ look, and \ adopts \ the \ people-oriented \ design \ concept;$
- 3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;
- 4. It suits all kinds of old and now places

- 1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;
- 2. 优势: 产品外观简洁大方,设计原意以人为本;
- 3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整;

# Product features:

- 1.Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;
- 2. Advantages: The product takes pride in a simple and elegant look, and adopts the peopleoriented design concept;
- 3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;
  4.It suits all kinds of old and now places

- 1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;
- 2. 优势:产品外观简洁大方,设计原意以人为本:
- 3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整;
- 4. 适应各种新旧场所。

- $\label{eq:continuous} \textbf{1.Tap:} the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;$
- 2. Advantages:The product takes pride in a simple and elegant look, and adopts the people-oriented design concept;
- Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;
- 4. It suits all kinds of old and now places





- 1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;
- 2. 优势:产品外观简洁大方,设计原意以人为本:
- 3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整; 4. 适应各种新旧场所。

- ${\bf 1.Tap: the \, leading \, brass \, casting \, electroplating \, and \, into, \, has \, the \, corrosion \, resistance, \, long \, life \, advantages;}$
- 2. Advantages:The product takes pride in a simple and elegant look, and adopts the people-oriented design concept;
- 4. It suits all kinds of old and now places

# 感应洗涤系列

## AUTOMATIC SHOWER CONTROLLER











1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;

2. 优势: 一本式龙头产品外观符合现代追求线条简洁,又合理把美基本元素结合,设计原

3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整;

4. 适用性;适应场所广泛,独有台上调温装置以及厚实稳重的外型造观,推荐写字楼、酒 店客房以及其他流动性人员较少的高级场所选用。

Thouse reading brass casting electroplating and into, has the corrosion resistance, long life advantages;

2.A faucet product appearance in line with the modern pursuit of clean lines, and reasonable to the United States the basic elements in combination, design intent is to dissolve what people need;

3.induction distance: the machine adopts microcomputer control, automatic setting the

best sensing range, no artificial adjustment;

device and a staid exterior creation view, recommending offices, hotel rooms and other mobility personnel less advanced places use.

1. 龙头部分: 采用黄铜精铸电镀而成, 具有抗腐蚀、长寿命的优异性;

2. 优势:产品外观简洁大方,设计原章以人为本:

3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整;

4 适应各种新旧场所。

1.Tap: the leading brass casting electroplating and into, has the corrosion resistance, long

2. Advantages: The product takes pride in a simple and elegant look, and adopts the people-

3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;

4. It suits all kinds of old and now places

1. 龙头部分: 采用黄铜精铸电镀而成, 具有抗腐蚀、长寿命的优异性;

2. 优势:产品外观简洁大方,设计原意以人为本:

3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整:

4. 适应各种新旧场所。

1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;

2. Advantages: The product takes pride in a simple and elegant look, and adopts the people-

3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;

4. It suits all kinds of old and now places

1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;

2. 优势: 产品外观简洁大方,设计原意以人为本;

3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整;

1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long

2. Advantages: The product takes pride in a simple and elegant look, and adopts the people-

3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;

1. 龙头部分: 采用黄铜精铸电镀而成, 具有抗腐蚀、长寿命的优异性;

2. 优势:产品外观简洁大方,设计原章以人为本:

3. 感应距离: 机器采用微电脑控制, 自动设定最佳感应范围, 无须人为调整:

4. 适应各种新旧场所。

1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;

 $2. Advantages: The \ product \ takes \ pride \ in \ a \ simple \ and \ elegant \ look, and \ adopts \ the \ people-oriented \ design \ concept;$ 

 $3. Induction\ distance:\ the\ machine\ adopts\ microcomputer\ control,\ automatic\ setting\ the\ best\ sensing\ range,\ no\ artificial\ adjustment;$ 

4. It suits all kinds of old and now places

# 感应洗涤系列

# **AUTOMATIC SHOWER CONTROLLER**











1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;

2. 优势:产品外观简洁大方,设计原意以人为本: 3. 感应距离:机器采用微电脑控制,自动设定最佳感应范围,无须人为调整;

4. 适应各种新旧场所

1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;

2.Advantages:The product takes pride in a simple and elegant look, and adopts the people-oriented design concept;

3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;

4. It suits all kinds of old and now places

1. 埋墙式设计,有效防止外力破坏,露墙平边电镀面框镶全不锈钢面板,豪华耐用;

2. 绿色环保可回收底盒, 经久腐蚀; 进水口采用通用活接, 安装简单方便;

3. 调节阀、过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧;

# 4. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。

1. Buried wall design, effectively preventing the damage of exposed wall, flat edge

electroplating surface frame with stainless steel panels, luxurious and durable:

2. Green recyclable bottom box, and corrosion; water inlet adopts a universal movable connection, the installation is simple and convenient;

3.Regulating valve, filter valve, solenoid valve copper integrated base, installed after the worry-free;

 $4.\mbox{Ad}$  hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net.

# 产品特点:

1. 全铜面板,豪华耐用;

2. 进水口采用通用活接,安装简单方便。

3. 过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧:

4. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。

## Product features:

1.All copper panel, luxurious and durable;

2. Water inlet adopts a universal movable connection, the installation is simple and

3. The filter valve, solenoid valve fully copper integrated base, installed after the worry-

4.Ad hoc water regulating valve and water filtering structure, non-professionals can also

be easy to regulate water and cleaning filter net.

理墙式设计,有效防止外力破坏,露墙平边电镀面框镶全不锈钢面板,豪华耐用;

2. 绿色环保可回收底盒, 经久腐蚀; 进水口采用通用活接, 安装简单方便;

3. 调节阀、过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧; 4. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。

1.Buried wall design, effectively preventing the damage of exposed wall, flat edge electroplating surface frame with stainless steel panels, luxurious and durable;

2. Green recyclable bottom box, and corrosion; water inlet adopts a universal movable connection, the installation is simple and convenient;

3. Regulating valve, filter valve, solenoid valve copper integrated base, installed after the

4.Ad hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net.

1. 水咀: 采用黄铜精铸电镀而成, 具有抗腐蚀性、长寿命的优异性;

2. 外观: 朴实的圆柱状本体和线条流畅的弧型状水管一起,是直线和曲线设计的完美结合。

3. 功能优势: 感应一次出水, 再感应一次停水, 高出水位, 360° 可旋转水咀, 特别适合经 常需要洗涤物品和接水的用户使用。

4. 适用场所:家庭菜盆、医院清洁盆、食品业等。

Product features:
1. Water : the brass casting electroplating and become, with corrosion resistance, long life advantages:

2. Appearance: simple cylindrical body and smooth lines of the arc shape pipe, straight and curved design the perfect combination;

3.Functional advantages : induction of a water outlet, and induction of a water, high water level, can rotate 360 DEG water, especially suitable for frequent need washing and water

4. Suitable place: home cooking pots, hospitals, food industry and other cleaning basin.

# 感应小冲系统 AUTOMATIC SENOR TOILET FAUCET

# 感应小冲系统

# AUTOMATIC SENOR TOILET FAUCET

# 使用示意图/USAGE DIAGRAM:



当使用者按习惯方式站在便斗前进行小 便时,小便冲水器便启动自动分辨是否 使用器具功能。

When the user in the customary manner in a hopper before the urine, urine flushing device is activated automatically identify whether the use of apparatus function.



当小便器判定使用时,2秒后开始第一次 2-3秒系统执行性的预洗冲水。

When the urinal judgement when in use, 2 seconds after the start of the first 2-3 seconds system execution pre wash



当使用者离开后,器具内部电脑记忆系

When the user leaves, for inside















产品参数/Specifications

| 型号/Model                           | 交流型/Alteating carent           | 干电池型/Dry battery type                     |
|------------------------------------|--------------------------------|---|
| 合水管口途径/Water supply bore           | G1/2"                          | G1/2"                                     |
| 适应水压/Water pressure range          | 0.05-0.87Mpa                   | 0.05-0.87Mpa                              |
| 电源电压/Voltage                       | AG220V                         | DC6V                                      |
| 消耗电力/Electricity consumption       | 待机/Stand-by≤3W<br>动作/Action≤5W | 待机/Stand-by≤0.5Mw<br>动作/Action≤1.2W(0.3s) |
| 感应距离/Sense distance                | 30-80cm之间调节/Adjustable         | 30-80cm之间调节/Adjustable                    |
| 使用环境温度/<br>Environment temperature | 1-55℃                          | 1-55℃                                     |

- 1. 埋墙式设计, 有效防止外力破坏, 露墙平边电镀面框镶全不锈钢面板, 豪华耐用;
- 绿色环保可回收底盒,经久腐蚀;进水口采用通用活接,安装简单方便;
   调节阀、过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧;
- 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。
   上进水设计和后进水设计,适用于新旧工程安装。

- Product features:

  1.Buried wall design, effectively preventing the damage of exposed wall, flat edge electroplating surface frame with stainless steel panels, luxurious and durable;
- 2. Green recyclable bottom box, and corrosion; water inlet adopts a universal movable connection, the installation is simple and convenient;
- 3. Regulating valve, filter valve, solenoid valve copper integrated base, installed after the worry-free;
- A.Ad hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net.
- 5. Water inlet design and the inlet design, suitable for old and new engineering installation

- 1. 埋墙式设计,有效防止外力破坏,ABS银灰喷涂面板,经济实用:
- 2. 绿色环保可回收底盒, 经久腐蚀; 进水口采用通用活接, 安装简单方便;
- 3. 调节阀、过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧; 4. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。
- 5. 上进水设计和后进水设计,适用于新旧工程安装。

- 1.Buried wall design, effectively prevent external damage, ABS silver spray panel, economical and practical;
  2.Green recyclable bottom box, and corrosion; water inlet adopts a universal movable
- connection, the installation is simple and convenient;

  3.Regulating valve, filter valve, solenoid valve copper integrated base, installed after the
- 4.Ad hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net.
- 5. Water inlet design and the inlet design, suitable for old and new engineering installation

- 1. 埋墙式设计,有效防止外力破坏,露墙平边电镀面框镶全不锈钢面板,豪华耐用;
- 2. 绿色环保可回收底盒, 经久腐蚀; 进水口采用通用活接, 安装简单方便;
- 3. 调节阀、过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧;
- 4. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。
- 5. 上进水设计和后进水设计,适用于新旧工程安装。

- Product features:


  1.Buried wall design, effectively preventing the damage of exposed wall, flat edge electroplating surface frame with stainless steel panels, luxurious and durable;

  2.Green recyclable bottom box, and corrosion; water inlet adopts a universal movable connection, the installation is simple and convenient;
- 3. Regulating valve, filter valve, solenoid valve copper integrated base, installed after the worry-free;
- $4.\bar{Ad}$  hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net.
- 5. Water inlet design and the inlet design, suitable for old and new engineering installation



# 感应小冲系列

# AUTOMATIC SENOR TOILET FAUCET











- 1. 埋墙式设计,有效防止外力破坏,露墙平边电镀面框镶全不锈钢面板,豪华耐用:
- 2.绿色环保可回收底盒,经久腐蚀;进水口采用通用活接,安装简单方便;
   3.调节阀、过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧;
- 4. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。
- 5. 上讲水设计和后讲水设计,适用于新旧工程安装。

- 1.Buried wall design, effectively preventing the damage of exposed wall, flat edge electroplating surface frame with stainless steel panels, luxurious and durable:
- 2. Green recyclable bottom box, and corrosion; water inlet adopts a universal movable connection, the installation is simple and convenient;
- 3. Regulating valve, filter valve, solenoid valve copper integrated base, installed after the
- $4.\mbox{Ad}$  hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net.
- 5. Water inlet design and the inlet design, suitable for old and new engineering installation.

- 1 朋类式, 一体化设计, 极且个性的外壳, 全部采用黄铜加丁, 表面镀铬处理, 简洁黍丽。
- 2. 调节阀、过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧;
- 3. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网;
- 4. 后进水设计(埋墙进水管),特别适合旧工程改造安装。

## Product features:

- 1. Surface mounted, integrated design, highly personalized enclosure, using all the brass processing, surface chrome-plated, concise and beautiful
- 2.Regulating valve, filter valve, solenoid valve copper integrated base, installed after the worry-free;
- 3.Ad hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net;
- 4. The design of water ( water inlet pipe buried wall ), is especially suitable for old

## 产品特点:

- 各个部件均可进行拆卸,安装方便,维护简单;
   特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网;
- 4. 挂墙式、后进水、后排水设计,适合各种工程安装。

# Product features:

- 1.Integration with the design, flat edge decoration panel, the appearance of simplicity, fashion, beautiful;
- 2. All parts can be disassembled, convenient installation, simple maintenance
- 3.Ad hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net;
- 4.Wall hanging type, the water, after the drainage design, suitable for all kinds of engineering installation

- 1.陶瓷便门、感应冲水器完美结合,一体化明装式设计,平边装饰面板,外形简约、时
- 已、天公:2.各个部件均可进行拆卸,安装方便,维护简单;3.特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网;
- 4. 挂墙式、后进水、后排水设计,适合各种工程安装。

- 1. Ceramic wicket, sensor flush perfect combination, integration with the design, flat edge decoration panel, the appearance of simplicity, fashion, beautiful
- 2.All parts can be disassembled, convenient installation, simple maintenance
- 3.Ad hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net;
- 4.Wall hanging type, the water, after the drainage design, suitable for all kinds of engineering installation

## 产品特点:

- 1.陶瓷便门、感应冲水器完美结合,一体化明装式设计,平边装饰面板,外形简约、时
- 尚、美观: 2. 各个部件均可进行拆卸,安装方便,维护简单;
- 3. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网;
- 4. 挂墙式、后进水、后排水设计,适合各种工程安装。

- Product features:

  1. Ceramic wicket, sensor flush perfect combination, integration with the design, flat edge decoration panel, the appearance of simplicity, fashion, beautiful

  2. All parts can be disassembled, convenient installation, simple maintenance
- $3. Ad\ hoc\ water\ regulating\ valve\ and\ water\ filtering\ structure,\ non-professionals\ can\ also$
- 4.Wall hanging type, the water, after the drainage design, suitable for all kinds of

# 感应小冲系列

# AUTOMATIC SENOR TOILET FAUCET







- 1.陶瓷便门、感应冲水器完美结合,一体化明装式设计,平边装饰面板,外形简约、时
- 尚、美观; 2.各个部件均可进行拆卸,安装方便,维护简单;

be easy to regulate water and cleaning filter net;

- 3. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网;
- 4. 落地式、后进水、地排水设计,适合各种工程安装。

# Product features:

- 1. Ceramic wicket, sensor flush perfect combination, integration with the design, flat edge decoration panel, the appearance of simplicity, fashion, beautiful
- 2.All parts can be disassembled, convenient installation, simple maintenance
- 3.Ad hoc water regulating valve and water filtering structure, non-professionals can also
- 4. Floor type, then water, drainage design, suitable for all kinds of engineering installation.

- 1. 陶瓷便门、威应冲水器完美结合,一体化明装式设计,平边装饰面板,外形简约、时 尚、美观:

- 2.各个部件均可进行拆卸,安装方便,维护简单;3.特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网;
- 4. 挂墙式、后进水、后排水设计,适合各种工程安装。

## Product features:

- 1. Ceramic wicket, sensor flush perfect combination, integration with the design, flat edge decoration panel, the appearance of simplicity, fashion, beautiful 2.All parts can be disassembled, convenient installation, simple maintenance
- 3.Ad hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net;
- 4.Wall hanging type, the water, after the drainage design, suitable for all kinds of engineering installation

- 1.陶瓷便门、感应冲水器完美结合,一体化明装式设计,平边装饰面板,外形简约、时
- 尚、美观: 2. 各个部件均可进行拆卸,安装方便,维护简单;
- 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网;
   落地式、后进水、地排水设计,适合各种工程安装。

- Product features:
  1.Ceramic wicket, sensor flush perfect combination, integration with the design, flat edge decoration panel, the appearance of simplicity, fashion, beautiful
- 2.All parts can be disassembled, convenient installation, simple maintenance
- 3.Ad hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net;

  4. Floor type, then water, drainage design, suitable for all kinds of engineering installation.



# 感应大冲系统

AUTOMATIC SENOR TOILET FAUCET

# 功能说明 Account for function

感应大冲水器:一段式冲水(人体进入感应范围--启动装置待冲水--感应时间在6秒以上--执行冲水6-25秒,冲水时间 可调节) 无使用状态下, 每24小时冲水一次, 有效避免臭气回窜! 内置水质过滤结构, 可根据其使用频率, 自动调节冲 水时间及水量。无须接触便器,冲洗过程由机器自动执行完成。



当使用者按习惯蹲在便斗前方便时,衙水器便启动自动分辨 是否使用器具功能, 当蹲厕冲水器判定使用时, 3秒后开始进 入预备冲洗状态。

When the user according to the habit of squatting in the toilet bowl before the convenience, yamen water heater is activated automatically identify whether the use of apparatus function, when the squat toilet flushing device determines when in use, 3 seconds after the start to prepare irrigation



当使用者离开后冲水器,内部电脑记忆系统便进行11秒清洗冲 (交流型产品冲洗时间6-25秒范围内可调)。当蹲厕冲水 器在24小时内无人使用时内部电脑记忆系统会自动冲水一次。

When the user leaves after flushing device, the internal computer memory system for 11 seconds cleaning flushing ( AC product flushing time 6-25 seconds range adjustable). When the squat toilet flushing device within 24 hours when nobody uses the internal computer system automatically



当使田老块习惯方便时 油水器便启动自动分辨早不使田器 具功能, 当冲水器判定使用时, 3秒后开始进入预备冲洗状

When the user according to the usage convenience, flushing device is activated automatically identify whether the use of apparatus function, when flushing device determines when in use, 3 seconds after the start to prepare irrigation state.



当使田老率开后油水器内部由脑记忆系统便进行11秒清洗油水 (交流型产品冲洗时间6-25秒范围内可调)。当冲水器在24小 时内无人使用时内部电脑记忆系统会自动冲水一次。

memory system for 11 seconds cleaning flushing ( AC product flushing time 6-25 seconds range adjustable ). When the flushing device within 24 hours when nobody uses the internal computer system automatically flush of a memory.





















CE认证 智能冲水 超时保护 智能防臭 电源可选 自动调节 省电 品质 适用场所

# 产品参数/Specifications

| VI.                                | 10                             |   |
|------------------------------------|--------------------------------|---|
| 型号/Model                           | 交流型/Alteating carent           | 干电池型/Dry battery type                     |
| 进水管尺寸/Water Inlet diameter         | G1"                            | G1"                                       |
| 适应水压/Water pressure range          | 0.3-0.8Mpa                     | 0.3-0.8Mpa                                |
| 电源电压/Voltage                       | AC220V                         | DC6V                                      |
| 消耗电力/Electricity consumption       | 待机/Stand-by≤3W<br>动作/Action≤5W | 待机/Stand-by≤0.5Mw<br>动作/Action≤1.2W(0.3s) |
| 使用环境温度/<br>Environment temperature | 1-55°C                         | 1-55°C                                    |

Unique, unsophistical and elegant design embelishes your life taste for your life spece.

设计独到,明朗简约而高雅,为您的生活空间巧妙点缀艺术 的生活品味。



# 感应大冲系统

## AUTOMATIC SENOR TOILET FAUCET











- 1. 埋墙式设计,有效防止外力破坏,露墙平边电镀面框镶全不锈钢面板,豪华耐用:
- 2. 电磁阀全铜一体化底座、安装后无后顾之忧:
- 3. 特设水质过滤机构,进一步确保电磁阀的稳定工作;
- 4. 特设独立手动控制单元, 方便使用:
- 5. 适合各种新旧工程安装。

- Product features:

  1.Buried wall design, effectively preventing the damage of exposed wall, flat edge electroplating surface frame with stainless steel panels, luxurious and durable;
- 2. Electromagnetic valve copper integrated base, installed after the worry-free,
- 3.Ad hoc water filtering mechanism, to further ensure the stability of electromagnetic
- 4.Ad hoc independent manual control unit, easy to use;
- 5. Suitable for a variety of new engineering installation.

- 埋墙式设计,有效防止外力破坏,露墙平边电镀面框镶全不锈钢面板,豪华耐用;
- 2. 绿色环保可回收底盒, 经久腐蚀; 进水口采用通用活接, 安装简单方便;
- 3. 过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧:
- 4. 特设水质过滤结构,进一步确保电磁阀的稳定工作。
- 5. 手动+自动,突出按钮设计。
- 5. 适合各种新旧工程安装。

- Product features:

  1.Buried wall design, effectively preventing the damage of exposed wall, flat edge electroplating surface frame with stainless steel panels, luxurious and durable;
- 2.Green recyclable bottom box, and corrosion; water inlet adopts a universal moconnection, the installation is simple and convenient;
- 3. Filter valve, solenoid valve copper integrated base, installed after the worry-free;
- 4.Ad hoc water filtering structure, to further ensure the stability of electromagnetic valve;
- 5. Manual and automatic, highlighted button design;
- 6. Suitable for a variety of new engineering installation.

- 1. 埋墙式设计,有效防止外力破坏,露墙平边电镀面框镶全不锈钢面板,豪华耐用;
- 2. 绿色环保可回收底盒, 经久腐蚀; 进水口采用通用活接, 安装简单方便;
   3. 过滤阀、电磁阀全铜一体化底座, 安装后无后顾之忧;
- 4. 特设水质过滤结构,进一步确保电磁阀的稳定工作
- 5. 手动+自动,突出按钮设计。

- Buried wall design, effectively preventing the damage of exposed wall, flat edge electroplating surface frame with stainless steel panels, luxurious and durable;
- 2. Green recyclable bottom box, and corrosion; water inlet adopts a universal movable
- connection, the installation is simple and convenient;

  3. Filter valve, solenoid valve copper integrated base, installed after the worry-free;
- 4.Ad hoc water filtering structure, to further ensure the stability of electromagnetic valve; 5.Manual and automatic, highlighted button design:
- 6. Suitable for a variety of new engineering installation.

- 1.产品外形及材料:流线形设计,美观、前卫。主体材料采用黄铜,外观镀铬,表面有光
- 2. 产品结构、调水量阀一体化。清洗过滤网时,要求关闭调水量阀而不必关闭进水开关即可进行清洗;集电眼和主控板一体化结构。 3. 产品功能:无须接触、使用便器砂以上、装置进入预备状态,待使用者离开后2秒,开始
- 自动冲洗便器,冲洗时间约8秒,无电池或故障时可进行脚踏冲水。
- 4. 使用性: 适应各种新建场所或改建工程。

- 1.Product shape and material: the streamline shape design, elegant, avant-garde. The main material used brass, chrome-plated surface appearance, luster. It has good oxidation, corrosion resistance.
- 2.Product structure: filter structure, adjustable water valve integration. Cleaning filters, calling off the water valve without closing the inlet switch can be cleaned; set eyes and a master control board integration structure.
- 3.Product features; no contact, use for more than 6 seconds, device into the ready state. after the user left after 2 seconds, start the automatic toilet flushing, flushing time is about 8 seconds, no battery or fault can be pedal flushing.
- 4. Usage: to adapt to a variety of new premises or rebuilding project

- 1.产品外形及材料:流线形设计,美观、前卫。主体材料采用黄铜,外观镀铬,表面有光
- 泽。具有良好的抗氧化、耐腐蚀性。 2.产品结构:过滤结构、调水量阀一体化。清洗过滤网时,要求关闭调水量阀而不必关闭进水开关即可进行清洗:集电眼和主控板一体化结构。
- 3. 产品动能、无须接触、使用便题给以上、装置进入预备状态、待使用者离开后2秒,开始自动冲洗便器,冲洗时间约8秒,无电池或故障时可进行脚踏冲水。
- 4. 使用性:适应各种新建场所或改建工程。

## Product features:

- 1.Product shape and material: the streamline shape design, elegant, avant-garde. The main material used brass, chrome-plated surface appearance, luster. It has good oxidation, corrosion resistance.
- 2.Product structure: filter structure, adjustable water valve integration. Cleaning filters. calling off the water valve without closing the inlet switch can be cleaned; set eyes and a master control board integration structure.

  3. Product features: no contact, use for more than 6 seconds, device into the ready state, after the user left after 2 seconds, start the automatic toilet flushing, flushing time is about

12

- 8 seconds, no battery or fault can be pedal flushing.
- 4. Usage: to adapt to a variety of new premises or rebuilding project.

# 高科技感应系列

HI-TECH INDUCTIVE SANTARY WARE











此款飘香器外部采用ABS塑胶制成,内部结构采用电子设备。您只需放入清洗剂,启动开 关, 调整您所喜欢的时间, 它便可根据您所设置的时间不断的喷出清新剂。并配有各种不 同的颜色,是家居生活、酒店等公共场所的最佳选择。

Product features:

1.This fragrance external use of ABS plastic, the internal structure of the electronic equipment. You only need to add the cleaning agent, starting switch, adjust your love time, it will be according to your set time constantly squirting refreshing agent. And equipped with a variety of different colors, is home furnishing life, hotels and other public venues the

## 产品特占.

1. ABS抗冲击阻燃材料外壳:

2. 可视皂液余量,便于皂液的及时更换;

3. 感应自动给皂,免接触,卫生方便。每感应一次自动给皂约0.8c.c; 4. 超强节电设计。4节5号碱性电池可用1年以上;

5.500毫升的超大皂液容量,有限减少更换皂液的麻烦

6. 适用各种皂液,如液体皂、润肤液、洗发精、清洗剂等;广泛用于旅馆、餐厅、医院、

# Product features:

1.ABS impact flame retardant material shell;
 2.Video soap allowance, convenient soap timely replacement;

3.Automatic induction to the soap, avoid contact, sanitary and convenient. Each induction time automatically to the soap about 0.8c.c;

4. Super energy-saving design. 4 section 5 alkaline battery can be used more than 1 years;

5.500 ml large soap liquid capacity, limited reduction of replacement of liquid soap;

6.Applicable to a variety of soap liquid, such as liquid soap, body lotion, shampoo, cleaning agent; widely used in hotels, restaurants, hospitals, office and family.

## 产品特点:

材质: ABS塑料外壳:

结构, 防盗设计,

优势: 大功率, 风力强劲, 快速烘干;

产品参数/Specifications

适应电压/Voltage AC220v 50Hz 消耗功率/Electricity consumption 1650w

工作电流/Working ampere 10A

T作噪声/Working noise <65dB

送风温度/Outlet air temperature 50-55℃

感应距离/Sense distance 10-20cm 任意可调/Adjustable

Product features: Material: ABS plastic shell;

Structure: security design

Advantages: high power, wind power is strong, fast drying;

流线型极具艺术感的外壳,采用白色抗击阻燃材料,原色原味不褪色,不变形。低噪音的 结构设计,高性能直流电机,波纹发热体,出风恒定、柔和。风口远离热源,可随意调节 风量,使用更加舒适、自由。挂墙式设计,安装简单方便,适用于任何新旧装修场所。过 热、过流双重保护装置,有效避免温度过热烧坏机器。125℃自动切开发热体电源,出冷 风,135℃彻底熔断保险。产品结构防滴水设计,安全可靠。

Product features:
Streamlined highly artistic enclosure, using white against the flame retardant materials, the original do not fade, no deformation. Structure design of low noise, high performance DC motor, corrugated heating body, a constant, gentle wind. Air away from the heat source, can adjust the air volume, more comfortable to use, free. Wall hanging type design, installation is simple and convenient, applicable to any new venue decoration. Overheating, overcurrent double protection device, effectively avoid overheating damage the machine. 125 degrees automatically cut power development body, out cold, 135 °C completely fuse. Drop proof design of product structure, safe and reliable.

### 产品参数/Specifications 额定由流/Rated ampere 3.5A

送风温度/Outlet air temperature 50-55℃

适应电压/Voltage Ac220v 消耗功率/Electricity consumption 700w 低音/Low noise <50dB

# 感应洗涤系列

AUTOMATIC SHOWER CONTROLLER











1. 龙头部分:采用黄铜精铸电镀而成,具有抗腐蚀、长寿命的优异性;

2. 优势:产品外观简洁大方,设计原意以人为本: 3. 感应距离:机器采用微电脑控制,自动设定最佳感应范围,无须人为调整;

4. 适应各种新旧场所

1. Tap: the leading brass casting electroplating and into, has the corrosion resistance, long life advantages;

2.Advantages:The product takes pride in a simple and elegant look, and adopts the people-oriented design concept;

3.Induction distance: the machine adopts microcomputer control, automatic setting the best sensing range, no artificial adjustment;

4. It suits all kinds of old and now places

1. 埋墙式设计, 有效防止外力破坏, 露墙平边电镀面框镶全不锈钢面板, 豪华耐用:

2. 绿色环保可回收底盒, 经久腐蚀; 进水口采用通用活接, 安装简单方便;

3. 调节阀、过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧;

4. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。

1. Buried wall design, effectively preventing the damage of exposed wall, flat edge electroplating surface frame with stainless steel panels, luxurious and durable:

2. Green recyclable bottom box, and corrosion; water inlet adopts a universal movable connection, the installation is simple and convenient;

3.Regulating valve, filter valve, solenoid valve copper integrated base, installed after the worry-free;

 $4.\mbox{Ad}$  hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net.

## 产品特点:

1. 全铜面板,豪华耐用;

2. 进水口采用通用活接,安装简单方便。

3. 过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧:

4. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。

# Product features:

1.All copper panel, luxurious and durable;

2. Water inlet adopts a universal movable connection, the installation is simple and

3. The filter valve, solenoid valve fully copper integrated base, installed after the worry-

4.Ad hoc water regulating valve and water filtering structure, non-professionals can also

be easy to regulate water and cleaning filter net.

理墙式设计,有效防止外力破坏,露墙平边电镀面框镶全不锈钢面板,豪华耐用;

2. 绿色环保可回收底盒, 经久腐蚀; 进水口采用通用活接, 安装简单方便;

3. 调节阀、过滤阀、电磁阀全铜一体化底座,安装后无后顾之忧; 4. 特设水量调节阀及水质过滤结构,非专业人员也可轻松调节水量和清洗过滤网。

1.Buried wall design, effectively preventing the damage of exposed wall, flat edge electroplating surface frame with stainless steel panels, luxurious and durable;

2. Green recyclable bottom box, and corrosion; water inlet adopts a universal movable connection, the installation is simple and convenient;

3. Regulating valve, filter valve, solenoid valve copper integrated base, installed after the

4.Ad hoc water regulating valve and water filtering structure, non-professionals can also be easy to regulate water and cleaning filter net.

1. 水咀: 采用黄铜精铸电镀而成,具有抗腐蚀性、长寿命的优异性;

2. 外观: 朴实的圆柱状本体和线条流畅的弧型状水管一起,是直线和曲线设计的完美结合。

3. 功能优势: 感应一次出水,再感应一次停水,高出水位,360°可旋转水咀,特别适合经 常需要洗涤物品和接水的用户使用。

4. 适用场所:家庭菜盆、医院清洁盆、食品业等。

Product features:
1. Water : the brass casting electroplating and become, with corrosion resistance, long life advantages:

2. Appearance: simple cylindrical body and smooth lines of the arc shape pipe, straight and curved design the perfect combination;

3.Functional advantages : induction of a water outlet, and induction of a water, high water level, can rotate 360 DEG water, especially suitable for frequent need washing and water

4. Suitable place: home cooking pots, hospitals, food industry and other cleaning basin.

13 14